

# **Battery Specification Sheet**

### **Technical Specifications**

Industry Size:	AAA
ANSI/NEDA #:	24A
IEC #:	LR03
Nominal Voltage:	1.5 V
Nominal Capacity: (20 ± 2° C, 75Ω-4h/d, e.v. = 0.9V)	1270 mAh
Chemistry:	Alkaline (Zinc Manganese Dioxide)

## **Physical Specifications**

Height:	44.4 mm	1.75 in.	
Diameter:	10.4 mm	0.41 in.	
Typical Weight:	11.5 g	0.41 oz.	
Terminal Type:	Button Positive/F	Button Positive/Flat Negative	

<sup>\*</sup>Maximum dimensions

#### **Capacity Specifications**

Initial		
Off-Load Voltage:	1.58-1.65 V	
On-Load Voltage:	≥ 1.43 V	
Short Circuit Current:	7.0 A	

#### After 12 Months Storage


Off-Load Voltage:	1.55-1.65 V
On-Load Voltage:	≥ 1.39 V
Short Circuit Current:	5.0 A
Shelf Life:	7 years

#### Made in China.

Due to changes in manufacturing processes, specifications are subject to change without notice.


**CAUTION:** Do not install backward, charge, disassemble, put in fire or mix with other battery types. This could cause batteries to explode or leak chemicals, causing injury. Do not carry loose batteries in your pocket or purse. Replace all batteries at the same time. Dispose of used batteries properly. **KEEP OUT OF REACH OF CHILDREN**. If swallowed, promptly seek medical attention.











# **Battery Specification Sheet**














**CAUTION:** Do not install backward, charge, disassemble, put in fire or mix with other battery types. This could cause batteries to explode or leak chemicals, causing injury. Do not carry loose batteries in your pocket or purse. Replace all batteries at the same time. Dispose of used batteries properly. **KEEP OUT OF REACH OF CHILDREN**. If swallowed, promptly seek medical attention.